



## SAFETY DATA SHEET

### Section 1: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

|                         |   |
|-------------------------|---|
| Product name:           | DYNAMIC COLOURS GLITTER PAINT   |
| Product Description:    | Enviro glitter paint 500ml 2lt  |
| Recommended use:        | By painting with brush  |
| Conforms to:            | Australia & New Zealand standards AS/NZS 1824.3   |
| Details of Manufacture: | Dynamic Colours PTY LTD<br>Unit 3 22/24 Norman Street<br>Peakhurst NSW 2210<br>Australia<br>PH: +61 02 9533 3916<br>F: +61 02 9533-8986<br>E: info@dynamiccolours.com.au<br>Web: <a href="http://www.dynamiccolours.com.au">www.dynamiccolours.com.au</a> |

### Section 2: HAZARD(S) IDENTIFICATION

Not classified as dangerous or hazardous goods.

### Section 3: COMPONENTS / INFORMATION ON INGREDIENTS

| Chemical Name     | CAS #                    | content (approx.) |
|-------------------|--------------------------|-------------------|
| Water             | 7732-18-5                | Balance           |
| Preservative      | 2682-20-4, 2634-33-5     | <0.015%           |
| Thickener         | Commercial in Confidence | <3.0%             |
| Coloured Pigments | various                  | <5.0%             |
| Glitter Powder    | various                  | <5.0%             |



Section 4: FIRST AID MEASURES/HEALTH HAZARD INFORMATION

Description of first aid measures

General advice: Show this safety data sheet to the doctor in attendance

Emergency Telephone numbers: AUSTRALIAN POISONS INFORMATION CENTRE – 131 126  
NEW ZEALAND POISONS INFORMATION CENTRE – 0800764 4766  
Dynamic Colours P/L - +61 02 9533 3916

Swallowed: Ingestion may cause irritation to mouth, throat and stomach, possibly resulting in nausea and vomiting.

Eye: Eye contact may cause minor irritation in some people.

Skin: Prolong skin contact may result in minor irritation in some people.

Inhaled: Considered not harmful due to low vapour pressure.

Chronic Effects: No known serious effects.

First Aid

Swallowed: Rinse mouth out with water. If irritation or discomfort occurs seek medical advice.

Eye: Take out contacts and irrigate affected area with water for 15 minutes. If irritation or discomfort occurs seek medical advice.

Skin: Wash affected area with soap and water, remove contaminated clothing. If irritation or discomfort occurs seek medical advice.

Section 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguish measures that are appropriate to local circumstances and surrounding environment. Product is non-flammable. No explosion hazard. Use extinguisher appropriate for primary source of fire. Product is considered stable and will not undergo hazardous polymerisation.



## Section 6: ACCIDENTAL RELEASE MEASURES

|            |  |
|------------|--|
| Spills:    | Use absorbent material such as sand or earth to contain spill. |
| Disposal:  | Collect and dispose of in accordance with local regulations.   |
| Waterways: | Prevent contamination of drains and waterways.                 |

## Section 7: HANDLING AND STORAGE

|                       |                                    |
|-----------------------|------------------------------------|
| Transport & shipping: | Not classified as dangerous goods. |
|-----------------------|------------------------------------|

## Section 8: EXPOSURE CONTROL /PERSONAL PROTECTION

|                       |   |
|-----------------------|---|
| Exposure standards:   | None assigned   |
| Engineering controls: | Ensure adequate ventilation   |
| Personal protection:  | Use good hygiene practices. Avoid eye contact. Wash hands and other skin contact areas after use. |

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

|                       |                       |
|-----------------------|-----------------------|
| Appearance:           | Coloured Paste        |
| Colour:               | Various               |
| Property              |                       |
| PH:                   | 8.5-9.5               |
| Boiling Point:        | 100 deg c (water)     |
| Evaporation Rate:     | Not Applicable        |
| Vapour Pressure:      | <2.6 @ 25 deg (water) |
| Specific Gravity:     | Approx. 1.1           |
| Flash Point:          | Not Applicable        |
| Flammability Limit:   | Not Applicable        |
| Solubility in Water:  | Dispersible           |
| Explosive Properties: | Not Applicable        |
| Oxidising Properties: | Not Applicable        |



## Section 10: STABILITY AND REACTIVITY

|                         |                                 |
|-------------------------|---------------------------------|
| Chemical Stability:     | Stable under normal conditions. |
| Hazardous Reactions:    | None                            |
| Reactivity:             | None                            |
| Incompatible Materials: | None                            |

## Section 11: TOXICOLOGICAL INFORMATION

|              |                               |
|--------------|-------------------------------|
| Inhalation:  | May cause irritation          |
| Skin:        | May cause allergic reactions. |
| Eye Contact: | May cause eye irritation.     |

## Section 12: ECOLOGICAL INFORMATION

|              |                           |
|--------------|---------------------------|
| Ecotoxicity: | Unknown (water based ink) |
|--------------|---------------------------|

## Section 13: DISPOSAL CONSIDERATIONS

|             |  |
|-------------|--|
| Packaging:  | Disposal should be in accordance with applicable laws. |
| Containers: | Disposal should be in accordance with applicable laws. |
| Paint:      | Disposal should be in accordance with applicable laws. |

## Section 14: TRANSPORT INFORMATION

Products are water based and safe for transport and shipping.

## Section 15: REGULATORY INFORMATION

Products are water based and safe for transport & shipping.

## Section 16: ANY OTHER RELEVANT INFORMATION

### Disclaimer:

The information provided in this safety data sheet is correct to the best of our knowledge.